

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. (Currently Amended) A method for providing network access comprising:

identifying an available network resource, ~~the network resource~~ coupled to a network,  
wherein an available network resource comprises a resource coupled to the network that has unused processing capability and a network resource used simultaneously by a user;

providing an access token to the available network resource, the access token operable to allow an application of the available network resource to access a portion of the network,  
wherein providing the access token to the resource comprises providing access to the application of the available network resource, the application operable to perform a specified task by an administrator;

tracking the status of the access token; ~~and~~

providing a task associated with the access token, wherein the completion of the task terminates the access token;

maintaining a task status for the task associated with the access token;

terminating the access token, wherein the terminating comprises revoking the access provided by the access token; and

updating the status of the access token after the access token is terminated;

wherein the user has an access level unrelated to the access token.

2. (Previously Presented) The method of Claim 1, wherein the available network resource is a computer terminal.

3. (Previously Presented) The method of Claim 1, wherein the available network resource is a server.

4. (Previously Presented) The method of Claim 2, wherein the available network resource is a sub-group server.

5. (Previously Presented) The method of Claim 2, wherein the available network resource is a super-group server.

6. (Previously Presented) The method of Claim 1, wherein the network is an intranet.

7. (Previously Presented) The method of Claim 1, wherein the network is an extranet.

8. (Previously Presented) The method of Claim 1, wherein the network is the Internet.

9. (Previously Presented) The method of Claim 1, wherein providing the access token to the resource comprises providing a user identification and password to the internet protocol address of the resource.

10. (Cancelled)

11. (Previously Presented) The method of Claim 1, wherein the portion of the network comprises at least a second resource coupled to the network.

12. (Previously Presented) The method of Claim 11, wherein the at least a second resource comprises a super-group.

13. (Previously Presented) The method of Claim 11, wherein the at least a second resource comprises a sub-group.

14. (Previously Presented) The method of Claim 11, wherein the at least a second resource comprises all resources coupled to the network.

15. (Previously Presented) The method of Claim 12, wherein the available network resource is located in the super-group.

16. (Previously Presented) The method of Claim 13, wherein the available network resource is located in the sub-group.

17. (Cancelled)

18. (Cancelled)

19. (Previously Presented) The method of Claim 1, wherein tracking the status of the access token comprises storing the status of the access token in a database.

20. (Previously Presented) The method of Claim 19, wherein the status of the access token comprises the application using the access token.

21. (Previously Presented) The method of Claim 19, wherein the status of the access token comprises the internet protocol address of the available network resource to which the access token was provided.

22. (Cancelled)

23. (Cancelled)

24. (Cancelled)

25. (Cancelled)

26. (Currently Amended) A directory user secured account system, comprising:  
an access token, the access token operable to provide access to at least a portion of a network, wherein the access token is operable to allow an application resident on the at least one available network resource to access the at least a portion of the network;

an administrator, the administrator operable to identify at least one available network resource, provide the access token to the at least one available network resource, and store a status corresponding to the access token; and

a database, the database operable to maintain the ~~stored~~ status corresponding to the access token.

27. (Cancelled)

28. (Currently Amended) The system of Claim 26 [[27]], wherein the at least one available network resource is coupled to a super-group, coupled to the administrator via the network.

29. (Previously Presented) The system of Claim 28, wherein the at least one available network resource is coupled to a sub-group, the sub-group coupled to the super-group.

30. (Previously Presented) The system of Claim 28, wherein the at least a portion of the network comprises the super-group.

31. (Previously Presented) The system of Claim 29, wherein the at least a portion of the network comprises the subgroup.

32. (Currently Amended) The system of Claim 26 [[27]], wherein the access token comprises a unique user identifier, the user identifier operable to track the application's access to the network.

33. (Previously Presented) The system of Claim 26, wherein the administrator comprises an application resident on an administrator, the administrator coupled to the network.

34. (Previously Presented) The system of Claim 33, wherein the database is coupled to the administrator, the administrator further operable to direct the database to maintain the status of the access token.

35. (Previously Presented) The system of Claim 26, wherein the at least one available network resource comprises a terminal coupled to the network, the terminal comprising a processor having available processing capability.

36. (Previously Presented) The system of Claim 26, wherein maintaining the stored status corresponding to the access token comprises storing the access token according to the unique identifier.

37. (Currently Amended) The system of Claim 26 ~~[[27]]~~, wherein the access token is operable to expire in a pre-determined length of time.

38. (Currently Amended) The system of Claim 26 ~~[[27]]~~, wherein the access token is operable to expire at the conclusion of a pre-defined event.

39. (Previously Presented) The system of Claim 38, wherein the pre-determined event comprises the completion or a task assigned to the application resident on the at least one available network resource.

40. (Previously Presented) The system of Claim 39, wherein the task comprises a file search on the portion of the network.

41. (Previously Presented) The system of Claim 39, wherein the task comprises processing data stored on the portion of the network.

42. (Currently Amended) A system for a directory secured user account, comprising:  
an access management module operable to generate at least one access token, ~~each of the~~  
at least one access token[[s]] comprising a unique identifier;  
a resource communication module operable to transmit the at least one access token to a  
resource coupled to the network,

wherein the resource communication module is further operable to receive  
notification from the resource that the resource has available processing capability,

wherein the resource communication module is further operable to transmit  
a task to the resource, wherein the task is specific to a first application resident in the  
resource; and

a token management module operable to maintain the status of the at least one access  
token and the resource; and [[.]]

a database operable to store the status of the access token and the resource.

43. (Previously Presented) The system of Claim 42, further comprising a database, the  
database operable to store the status of the access token and the resource.

44. (Cancelled)

45. (Currently Amended) The system of Claim 42 [[44]], wherein the access management module is further operable to define a portion of the network for access through the access token, the portion of the network corresponding to the location of the resource.

46. (Previously Presented) The system of Claim 45, wherein the access management module is further operable to provide the at least one access token automatically upon receipt of notification by the resource communication module.

47. (Currently Amended) The system of Claim 45, wherein ~~the resource communication module is further operable to transmit a task to the resource, wherein the task is specific to a first application resident in the resource,~~ the task is capable of performance by the available processing capability.

48. (Previously Presented) The system of Claim 47, wherein the resource is concurrently engaged by a user, the user accessing a second application, the second application accessing processing capability separate from the available processing capability.

49. (Previously Presented) The system of Claim 47, wherein the resource comprises a server, the server coupled to a super-group, the super-group coupled to the resource communication module via the network.



50. (Previously Presented) The system of Claim 47, wherein the resource comprises a server, the server coupled to a sub-group, the sub-group coupled to a super-group via a sub-network, the super-group coupled to the resource communication module via the network.

51. (Previously Presented) The system of Claim 47, wherein the resource comprises a terminal, the terminal coupled to the resource communication module via the network.

52. (Previously Presented) The system of Claim 51, wherein the resource is coupled to a super-group, the super-group coupled to the resource communication module via the network.

53. (Previously Presented) The system of Claim 51, wherein the resource is coupled to a sub-group, the sub-group coupled to a super-group via sub-network, the super-group coupled to the resource communication module via the network.

54. (Previously Presented) The system of Claim 48, wherein the user comprises a human operator, wherein the human operator has an access level unrelated to the access through the access token.

55. (Previously Presented) The system of Claim 48, wherein the user comprises a second resource, wherein the second resource has an access level unrelated to the access through the access token.

56. (Previously Presented) The system of Claim 47, wherein the database is further operable to store the status of the task provided to the resource.